



(E) THIS END PILOT DIA. AND .406 DIA HOLES MEET AND 10262 SPECS.

(D) THIS END, PILOT DIA., AND STUD MEET AND 20002 SPECS.

| MODEL NO | TORQUE CAP (IN LBS) | MAX TORQUE CAP (D.L.) | FLANGE | ±.025 |
|-----------|---------------------|-----------------------|--------|-------|
| 2404-6000 | 6000 | 8000 | .75 | |
| 2404-5000 | 5000 | 7500 | .75 | |
| 2404-4000 | 4000 | 6000 | .75 | |
| 2404-2000 | 2000 | 3000 | .75 | |
| 2404-1000 | 1000 | 1500 | .75 | |
| 2404-750 | 750 | 1000 | .62 | |
| 2404-500 | 500 | 750 | .62 | |
| 2404-200 | 200 | 500 | .62 | |
| 2404-100 | 100 | 300 | .62 | |
| 2404-50 | 50 | 250 | .62 | |

| | | |
|---|--|----------|
| N | ADDED "OPTIONAL" IN CHL. RAD. EQU. 685 (7) | 2/14/62 |
| M | WAS 3.812 EGN 4766 | 3/1/62 |
| L | ADDED GK | 9/14/77 |
| K | 1/2 WAS 1.3 DETAIL 15 1/2 | 2/19/77 |
| J | EGN 2338 | 12-12-74 |
| H | EGN 1472 WC | 4/18/69 |
| G | EGN 1356 WAS | 2/2/62 |
| F | EGN 1237, INC. | 2/2/62 |
| E | NOTES CHANGED | 2/1/62 |
| D | WAS 3.0 MIN DIA. | 2/1/62 |
| C | RE DRAWN | 2/2/62 |
| B | WAS 6.19 DIA | 4/4/62 |
| A | WAS A.N.D. 10262 | 2/19/62 |

| DET. NO. | PART NO. | DESCRIPTION | REQ'D |
|---|-------------------|-------------------------------------|--------------------|
| OUTSIDE DIMENSIONS OF REACTION TYPE TORQUEMETER | | | |
| SCALE: HALF | DRAWN BY: J. BIEL | REF. DWG: C-10897 | MAT'L: |
| DATE: 4-22-65 | CHK'D BY: | MODEL: 2404 | JOB NO.: |
| UNLESS OTHERWISE SPECIFIED: | | | |
| TOLERANCE ON FRACTIONS | ± 1/64 | TOLERANCE ON DRILLED HOLES | ± .002 |
| TWO PLACE DECIMALS | ± .010 | REMOVE ALL BURRS & SHARP EDGES | |
| THREE PLACE DECIMALS | ± .005 | DIMENSION LIMITS HELD AFTER PLATING | |
| ANGLES | ± 0'30" | SURFACE FINISH | 125/7 |
| LEBOW ASSOCIATES, INC. | | | DRAWING NO. C-2404 |
| OAK PARK, MICHIGAN | | | |

(H) 0 ADDED TORQUE 55 ft lbs (C) 10/1/77
1621 EGN 7153 J.W.